UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/483,883	01/18/2000	Mitsunobu Ono	P/16-251	8978
7590 11/13/2007 Steven I Weisburd Ostrolenk Faber Gerb & Soffen LLP 1180 Avenue of the Americas New YORK, NY 10036-8403			EXAMINER	
			AN, SHAWN S	
			ART UNIT	PAPER NUMBER
			2621	
			MAIL DATE	DELIVERY MODE
			11/13/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Advisory Action Before the Filing of an Appeal Brief

Application No.	Applicant(s)		
09/483,883	ONO ET AL.	ONO ET AL.	
Examiner	Art Unit		
Shawn S. An	2621		

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --THE REPLY FILED 30 October 2007 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. 1. The reply was filed after a final rejection, but prior to or on the same day as filing a Notice of Appeal. To avoid abandonment of this application, applicant must timely file one of the following replies: (1) an amendment, affidavit, or other evidence, which places the application in condition for allowance; (2) a Notice of Appeal (with appeal fee) in compliance with 37 CFR 41.31; or (3) a Request for Continued Examination (RCE) in compliance with 37 CFR 1.114. The reply must be filed within one of the following time periods: a) \square The period for reply expires $\underline{4}$ months from the mailing date of the final rejection. b) The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. Examiner Note: If box 1 is checked, check either box (a) or (b). ONLY CHECK BOX (b) WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f). Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). NOTICE OF APPEAL . A brief in compliance with 37 CFR 41.37 must be filed within two months of the date of 2. The Notice of Appeal was filed on _____ filing the Notice of Appeal (37 CFR 41.37(a)), or any extension thereof (37 CFR 41.37(e)), to avoid dismissal of the appeal. Since a Notice of Appeal has been filed, any reply must be filed within the time period set forth in 37 CFR 41.37(a). **AMENDMENTS** 3. The proposed amendment(s) filed after a final rejection, but prior to the date of filing a brief, will not be entered because (a) They raise new issues that would require further consideration and/or search (see NOTE below): (b) They raise the issue of new matter (see NOTE below); (c) They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or (d) They present additional claims without canceling a corresponding number of finally rejected claims. NOTE: _____. (See 37 CFR 1.116 and 41.33(a)). 4. The amendments are not in compliance with 37 CFR 1.121. See attached Notice of Non-Compliant Amendment (PTOL-324). 5. Applicant's reply has overcome the following rejection(s): _____ 6. Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s). 7. 🔯 For purposes of appeal, the proposed amendment(s): a) 🔲 will not be entered, or b) 🔯 will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended. The status of the claim(s) is (or will be) as follows: Claim(s) allowed: Claim(s) objected to: 18 and 28. Claim(s) rejected: 13-17,19-27,29 and 30. Claim(s) withdrawn from consideration: AFFIDAVIT OR OTHER EVIDENCE 8. The affidavit or other evidence filed after a final action, but before or on the date of filing a Notice of Appeal will not be entered because applicant failed to provide a showing of good and sufficient reasons why the affidavit or other evidence is necessary and was not earlier presented. See 37 CFR 1.116(e). 9. The affidavit or other evidence filed after the date of filing a Notice of Appeal, but prior to the date of filing a brief, will not be entered because the affidavit or other evidence failed to overcome all rejections under appeal and/or appellant fails to provide a showing a good and sufficient reasons why it is necessary and was not earlier presented. See 37 CFR 41.33(d)(1). 10. The affidavit or other evidence is entered. An explanation of the status of the claims after entry is below or attached. REQUEST FOR RECONSIDERATION/OTHER 11. 🖾 The request for reconsideration has been considered but does NOT place the application in condition for allowance because: See Continuation Sheet. 12. Note the attached Information Disclosure Statement(s). (PTO/SB/08) Paper No(s). 13. ☐ Other: .

Application No. 09/483,883

Continuation Sheet (PTO-303)

Continuation of 11. does NOT place the application in condition for allowance because: Applicant's arguments are not pursuasive. In response to the argument with respect to claim 13, Kato teaches an endoscopic adjusting circuit including a timing adjusting section (Fig. 15, 36) for performing timing adjustment of the drive signal by receiving (via 16) and thereafter delaying the drive signal generated by the drive signal generating section (22) in accordance with a delay time and transmitting the delayed drive signal to the solid state image pick-up device (20) (from 36 to 38 to 40 to 34 to 22 to finally 20), thereby adverse effect of delay and deterioration of signal during transmission through the signal line are compensated for irrespective of variations of the length of the signal line and with a simple construction (col. 2, lines 5-12).

As per Applicant's argument with respect to claim 14, Nakamura et al's video processing circuit and Kato's adjusting circuit appears to be disposed in an operation section arranged close to a proximal end of the insertion section (see last Office action). Therefore, it would have been considered obvious design choice to place the video processing circuit and the adjusting circuit to be disposed in an operational section arranged at a proximal end of the insertion section for better utilization of the endoscope structure.

Furthermore, merely changing a location of an apparatus and/or a device such as a video processing circuit and/or an adjusting circuit does not hold much of patentable weight, especially when the simple location change of the apparatus/device does not produce an unexpected result, see In re Japikse, 86 USPQ 70 (CCPA 1950).

SHAWN AN PRIMARY EXAMINER